



Here. There. Everywhere.™

Introducing **Everywhere** —
energy efficient T5 technology at the intersection
of the worksurface and work.



Task Lighting | **Everywhere T5 Light**

details

04-1262217

Everywhere... the new workhorse of the workplace.


Nothing flashy. Nothing foo-foo. Just an under cabinet task light that delivers 10% - 15%* more energy efficiency than a T8 light.

**Size of fixture affects output and energy efficiency.*



Here. There.
Everywhere.

Any recessed bin
or shelf.





Better optical control than most T8 task lights.



The T5 bulb provides an even distribution of light and eliminates hot spots right where it matters most: arcing across the worksurface.

T5 — Emerging as the fastest growing lamp in the linear fluorescent family.
Here. There. Everywhere.



04-1252224




04-1252225

Optional end cap covers for flush mount applications. Order separately. Available in Black, Dark Champagne, or Pewter.

Choose from three colors:
Pewter, Black, or Dark Champagne



Black



Dark Champagne



Pewter

Obligatory and important basic feature information.

Style Number	Description
LT524	T5 24" Task Light
LT524CHI	T5 24" Task Light with Chicago Plug
LT524Y	T5 24" Task Light Daisy Chain
LT536	T5 36" Task Light
LT536CHI	T5 36" Task Light with Chicago Plug
LT536Y	T5 36" Task Light Daisy Chain
LT548	T5 48" Task Light
LT548CHI	T5 48" Task Light with Chicago Plug
LT548Y	T5 48" Task Light Daisy Chain
LTSTART	Daisy Chain Starter Cord
LTJUMP	Daisy Chain Jumper Cord 6'
LTJUMP3	Daisy Chain Jumper Cord 3'
LT5COVER5	End Cap Cover - Package of 5 Pair
LT5COVER10	End Cap Cover - Package of 10 Pair
LT5COVER50	End Cap Cover - Package of 50 Pair
Dimensions:	W23.4 x H1.4 x D7.2, W35.2 x H1.4 x D7.2, W47.1 x H1.4 x D7.2
Colors:	Black, Dark Champagne, or Pewter
Ballast:	Energy saving electronic ballast
Lamp:	T5 3500K — 20,000 hour average rated lamp life
Mounting Applications:	All Steelcase bins and shelves. Plastic end cap covers for flush mount (order separately)
Installation:	Universal Spring Bracket for recessed mount. Tool-free clip included for New York City and other municipalities
Cord Length:	9' with 90°/45° plug — center cord exit from fixture
Cord Style:	Straight
Construction:	Steel housing, plastic end caps, acrylic lens
Certification:	U.L.® and C.U.L.® listed; approved by New York, Chicago and Los Angeles municipalities

Daisy Chain Specification Guidelines

Application	Requirement
2 lights	1 Starter cord and 1 Jumper cord
3 lights	1 Starter cord and 2 Jumper cords
4 lights	1 Starter cord and 3 Jumper cords
5 lights	1 Starter cord and 4 Jumper cords
6 lights	1 Starter cord and 5 Jumper cords

NOTES:

- Must order one 9' Starter Cord LTSTART.
- Must order 6' Jumper Cord LTJUMP or 3' Jumper Cord LTJUMP3 (number of cords depends on guidelines listed under the "Requirement" column).
- One Jumper cord between fixtures.
- Must order separate fixtures LT524Y, LT536Y or LT548Y. Number will vary depending on application (minimum of two; maximum of six).



Questions? Call Details Customer Alliance for support — 800.833.0411

For a better day at work.™

details®

A STEELCASE COMPANY

P.O. Box 1967 / CD-5E / Grand Rapids, MI 49501-1967 / www.details-worktools.com

©2005 Office Details Inc. All rights reserved. Printed in the U.S.A. 10/05